

NowExam

Higher Quality , Better Service !



Q&A

<http://www.nowexam.com>

We offer free update service for one year.

Exam : **DCA**

Title : Docker Certified Associate
(DCA) Exam

Version : DEMO

1.Which of the following commands will automatically create a volume when a container is started?

- A. 'docker container run --name nginxtest --volumes=/app nginx'
- B. 'docker container run --name nginxtest -v /app:mount nginx'
- C. 'docker container run --name nginxtest --volumes myvol:/app:new nginx'
- D. 'docker container run --name nginxtest -v myvol:/app nginx'

Answer: A

2.Which one of the following commands will show a list of volumes for a specific container?

- A. 'docker container logs nginx --volumes'
- B. 'docker container inspect nginx'
- C. 'docker volume inspect nginx'
- D. 'docker volume logs nginx --containers'

Answer: B

3.Which of the following constitutes a production-ready devicemapper configuration for the Docker engine?

- A. Create a volume group in devicemapper and utilize the '--dm.thinpooldev' Docker daemon option, specifying the volume group
- B. Format a partition with xfs and mount it at '/var/lib/docker'
- C. Utilize the '--storage-opt dm.directlvm_device' Docker daemon option, specifying a block device
- D. Nothing, devicemapper comes ready for production usage out of the box

Answer: C

4.Which one of the following commands will result in the volume being removed automatically once the container has exited?

- A. 'docker run --del -v /foo busybox'
- B. 'docker run --read-only -v /foo busybox'
- C. 'docker run --rm -v /foo busybox'
- D. 'docker run --remove -v /foo busybox'

Answer: C

5.A container named "analytics" that stores results in a volume called "data" was created.

```
docker run -d --name=analytics -v data:/data app1
```

How are the results accessed in "data" with another container called "app2"?

- A. docker run -d --name=reports --volume=data app2
- B. docker run -d --name=reports --volumes-from=analytics app2
- C. docker run -d --name=reports --volume=app1 app2
- D. docker run -d --name=reports --mount=app1 app2

Answer: B